

Production/Admin: 13/10/23  
Date  
Received/Costing  
Initial

Location

Initials of receiver (if shipment OK) Level 12

Part Number	Description	Quantity	Received Quantity	Returned Quantity	Short Quantity	Comments

Discrepancies

Packing Slip: Yes ☒ No ☐  
Invoice: Yes ☒ No ☐  
Receipt: Yes ☒ No ☐  
Cash: Yes ☒ No ☐  
Cr: Yes ☒ No ☐

Release Note Attached: Yes ☒ No ☐  
Waybill Attached: Yes ☒ No ☐  
Shipment Complete: Yes ☒ No ☐  
QC6 Inspection: Yes ☒ No ☐  
Work Order: Yes ☒ No ☐

N/A  
N/A  
N/A  
N/A  
N/A

Date: 13/10/23  
Supplier: M/A Appoldon  
Batch No: M/A 7821  
Part P/O: 22362

## Receiving Report

## Page 1 of 1

All amounts are calculated in domestic currency.

Receipt Dates from 12/23/2013 to 12/23/2013

## Employees All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID \ Vendor Name											
VC-MET002	Metaux Solutions										
	PO22362	1	M304TS0.750W.049	f	12/20/2013	12/23/2013	600.0000	\$3.58	0.0000	0	\$2,146.85
	CAD	No	304 SQ Tube .75x.75x.049W	f	600.0000	DES102		\$2,146.85	0.0000	0	
			m127821								
M304S16GA	2			sf	12/20/2013	12/23/2013	320.0000	\$5.43	0.0000	0	\$1,738.57
	No		304/316 Sheet .063	sf	320.0000	DES102		\$1,738.57	0.0000	0	
			m127821								
Total Received Quantity:											
920.0000											
Total Qty to Inspect (PO U/M):											
0.0000											
Total Reject Quantity:											
0.0000											
Total Receipt Value:											
\$3,885.42											
Total Balance Due Quantity:											
0.0000											

19-12-'13 15:27 DE- METAUX SOLUTIONS INC

450-641-3332

T-963 P0005/0005 F-907

MÉTAUX SOLUTIONS INC  
2625 BOUL JACQUES CARTIER EST  
LONGUEUIL, QUEBEC  
J4N 1L7 Tel.: 450 641-3330

Shipping Order 19/12/2013

Order : 92992  
Reference : 22362  
Ship : PICK UP / PICK UP

Customer: 6323336

DART AEROSPACE LTD  
1270, ABERDEEN STREET  
HAWKESBURY, ONTARIO  
K6A 1K7

Ship To

Same

Tel.: 1 613 632-3336

Item No.	Description	Qty	Qty. Deliver	B/O Qty
SSQT34340494	304 SQ TUBE .750 X .049 WALL 30 x 20' HT, J4FO	600	<u>600</u>	<u>Ø</u>
SS162B4	304 SHEET .060 (16G) 10 x 4' x 8' HT, 500896/501096	320	<u>320</u>	<u>Ø</u>
SHIP TST COLLECT JP				


Shipping : \_\_\_\_\_

Package No : \_\_\_\_\_

Merchandise Received: \_\_\_\_\_

Ref. : \_\_\_\_\_



Manufacturer / Fabricante / Herstellerwerk <b>outokumpu</b> 		Type of document / Tipo de documento / Art der Prüfbescheinigung <b>INSPECTION CERTIFICATE</b> CERTIFICADO DE INSPECCION ABNAHMEPRÜFZEUGNIS according to / de acuerdo con / nach EN 10204-3.1		Document number / N° de certificado / Bescheinigungs-nr. <b>0000061716 /</b> Page / Página / Seite: <b>1 / 2</b>																																
1 ThyssenKrupp Drive; P.O. Box 13000; Calvert, AL 36513-1300		Customer/Ship to / Cliente / Besteller/Empfänger <b>OLBERT METAL SALES LIMITED, MISSISSAUGA</b> Customer's order number / N° de Pedido Cliente / Kundenbestell-nr. <b>TO-9450</b> Manufacturer's works order no. / N° de Pedido Manufactura / Werksauftrag-nr. <b>901158748 / 009</b> Delivery note no. / N° de Entrega / Lieferanzeige Nr. <b>85262082 / 020</b> Product / Producto / Erzeugnis <b>SHEET/HOJAS/BLECH</b> Steel grade and quality / Acero / Stahlserie und Gütegruppe <b>TYPE 304L/304</b>																																		
Terms of delivery / Condiciones de entrega / Lieferbedingungen <b>ASTM A240/A240M, ASME SA-240 Sec. II Part A Ed. 2010</b> <b>ASTM A480/A480M, ASME SA-480 Sec. II Part A Ed. 2010</b>		Product dimensions (Thickness / Width / Length) / Dimensiones (Espesor / Ancho / Largo) / Maße des Erzeugnisses (Dicke / Breite / Länge) <b>1.52 mm x 1,219.20 mm x 2,438.40 mm</b> <b>0.0600 inch x 48.0000 inch x 96.0000 inch</b>																																		
Customer's material no. / N° de material del cliente / Kundenmaterial-Nr. Steelmaking procedure / Proceso de manufact. / Herstellung <b>AOD</b>		Finish / Acabado / Ausführung <b>IIIc / 2B</b>																																		
Packing No. / N° de Empaque / Paket-Nr. <b>6087873</b>	No. of pieces / Piezas / Stückzahl <b>54</b>	Actual weight / Peso actual / Ist-Gewicht <b>4,220 lb / 1,914 kg</b>	Coil No. / Bobina No. / Band-Nr. <b>724916</b>	Heat No. / Calent. / Schmelz-nr. <b>500896</b>	Sample Id. / N° de muestra / Proben-Id. <b>1000134473</b>																															
<b>6087874</b>	<b>50</b>	<b>3,911 lb / 1,774 kg</b>	<b>724916</b>	<b>500896</b>	<b>1000134473</b>																															
<b>6087876</b>	<b>54</b>	<b>4,239 lb / 1,923 kg</b>	<b>724916</b>	<b>500896</b>	<b>1000134473</b>																															
<b>6088840</b>	<b>52</b>	<b>4,043 lb / 1,834 kg</b>	<b>725452</b>	<b>501096</b>	<b>1000136415</b>																															
Sum / Suma / Summe <b>210</b>		<b>16,413 lb / 7,445 kg</b>																																		
Heat / Calent. / Schmelze <b>500896</b>	Country of heat / País de calent. / Erhitzungsland <b>USA</b>	Chemical composition / Composicion Quimica / Chemische Zusammensetzung <table border="1"> <thead> <tr> <th>% C</th> <th>% Si</th> <th>% Mn</th> <th>% P</th> <th>% S</th> <th>% Cr</th> <th>% Mo</th> <th>% Ni</th> <th>% N</th> <th>% Cu</th> </tr> </thead> <tbody> <tr> <td>0.022</td> <td>0.32</td> <td>1.58</td> <td>0.031</td> <td>0.0120</td> <td>18.15</td> <td>0.24</td> <td>8.03</td> <td>0.061</td> <td>0.38</td> </tr> <tr> <td>0.026</td> <td>0.31</td> <td>1.84</td> <td>0.031</td> <td>0.0020</td> <td>18.13</td> <td>0.24</td> <td>8.07</td> <td>0.069</td> <td>0.43</td> </tr> </tbody> </table>					% C	% Si	% Mn	% P	% S	% Cr	% Mo	% Ni	% N	% Cu	0.022	0.32	1.58	0.031	0.0120	18.15	0.24	8.03	0.061	0.38	0.026	0.31	1.84	0.031	0.0020	18.13	0.24	8.07	0.069	0.43
% C	% Si	% Mn	% P	% S	% Cr	% Mo	% Ni	% N	% Cu																											
0.022	0.32	1.58	0.031	0.0120	18.15	0.24	8.03	0.061	0.38																											
0.026	0.31	1.84	0.031	0.0020	18.13	0.24	8.07	0.069	0.43																											
Sample Position / Localiz. de la muestra / Probenlage <b>TRANSVERSE</b>																																				
Inspection lot / Lote de inspección / Prüflot <b>1000134473</b>	YS0.2% PSI / MPa <b>43,945 / 303</b>	TS PSI / MPa <b>94,851 / 654</b>	El. A2" % <b>58.8</b>	HRB <b>83</b>																																
<b>1000134474</b>	<b>40,899 / 282</b>	<b>94,706 / 653</b>	<b>55.1</b>	<b>82</b>																																
<b>1000136415</b>	<b>42,059 / 280</b>	<b>92,240 / 636</b>	<b>58.2</b>	<b>82</b>																																
<b>1000136416</b>	<b>40,609 / 280</b>	<b>91,660 / 632</b>	<b>59.7</b>	<b>81</b>																																
Dimensions - surface / Dimensiones - Superficie / Maße - Oberfläche Test of identity (spectral analysis) / Control de identidad (análisis espectrográfico) / Verwechslungsprüfung (Spektralanalyse) <b>HEAT - TREATMENT : 1920°F/AIR</b> <b>No weld repairs</b> <b>No intentional additions of Mercury compounds were made or used</b> <b>Free of radioactive contamination</b> <b>EU RoHS Directive 2011/65/EU Compliant</b> <b>Product manufactured in the USA</b>																																				
Originator of the document / Originador del documento / Aussteller der Bescheinigung <b>Outokumpu Stainless USA, LLC</b> <b>An ISO 9001: 2008 certified company</b>			The information provided is a true copy of data on file / Los valores mostrados corresponden a los datos archivados / Die gegebenen Werte entsprechen den gespeicherten Daten Andrew Faucett Phone: +1 251 829 3492																																	
Certificate is generated automatically / Certificado es generado automáticamente / Das Zeugnis wurde elektronisch erstellt			Date of issue and validation / Fecha de emisión y validación / Datum Ausstellung / Bestätigung <b>10/18/2013</b>																																	

160127, 160128



Manufactures / Fabricante / Herstellerwerk

outokumpu



Type of document / Tipo de documento / Art der Prüfbescheinigung

## INSPECTION CERTIFICATE

CERTIFICADO DE INSPECCION  
ABNAHMEPRÜFZEUGNIS  
according to / de acuerdo con / nach  
EN 10204-3.1

Document number /  
N° de certificado /  
Bescheinigungsnummer

0000061716 /

Page / Página / Seite:

2 / 2

Country of Heat as per ISO 3166-1

Originator of the document / Originador del documento / Aussteller der Bescheinigung

Outokumpu Stainless USA, LLC

An ISO 9001: 2008 certified company

Certificate is generated automatically / Certificado es generado automáticamente /  
Das Zeugnis wurde elektronisch erstelltThe information provided is a true copy of data on file /  
Los valores mostrados corresponden a los datos archivados /  
Die generierten Werte entsprechen den gespeicherten Daten  
Andrew Faucett

Phone: +1 251 829 3492

Name of expert / Nombre del experto / Name des Sachverständigen

Date of issue and validation  
Fecha de emisión y validación  
Datum Ausstellung / Besätigung

10/18/2013

**PHOENIX TUBE COMPANY, INC.**  
Manufacturer of Stainless Ornamental and Structural Tubing  
**CERTIFICATION OF TEST**

Sold To:

Ship To:

CUSTOMER ORDER#: C91016

CUST REF NBR:

DATE SHIPPED: 12/16/13

SIZE: 3/4SQ X 18 GA AW

SOURCE: USA D

VENDOR: NAS

Phone# 5492603

ORDER#: 322060

QTY SHIPPED: 1400.0

GRADE: 304HEAT#: J4F0

TEST REPORT#: TR011271

Report Date: 08/23/13

Ext:

WELD: HF

Specification:

ASTMA554-13

T304L/304 DUAL CERTIFIED

NO WELD REPAIR

EN 10204 2.2

ASTM-A 240 LATEST REVISION

RAW MATERIAL SPEC.

ASTM A554 2003 SUPERSEDED

MFG USING

ANNEALED AND PICKLED

NACE MR0175/01

MATERIAL IS FULL SOLUTION

ANNEALED, AND SHOWS NO

CONTINUOUS CARBIDE

PLATE, SHEET OR STRIP

MIN. SOLUTION ANNEAL TEMP

1900F WATER QUENCHED

DFARS 252.225.7008

PRECIPITATION

COMPLIANT

5/14/16/17

MERCURY IS NOT USED BY US AS AN ALLOYING MATERIAL NOR IS METALLIC MERCURY HANDLED IN THE VICINITY  
OF OUR PROCESSING LINES. WE ARE NOT PRESENTLY AWARE OF ANY MERCURY CONTAMINATION.

## Chemical Analysis

C	MN	P	S	SI	CR	NI	MO	CU	CO	N2	TI
.02	1.77	.03	.02	.26	18.14	8.08	.38	.45	0	.09	0

## Physical Analysis

	YIELD		TENSILE		OTHER	
Hardness	PSI	MPA	PSI	MPA	Percent EL	Percent RA
RB 85	49750	0	96450	0	48	0

THE CHEMICAL ANALYSES ARE CORRECT AS CONTAINED IN OUR CORPORATE RECORDS.  
PHYSICAL PROPERTIES ARE DETERMINED WHILE MATERIAL IS IN STRIP FORM.

Melted &amp; Manufactured in the USA FAR BAA complies, DFARS BAA complies, FAR TAA complies

CERTIFIED BY Quality Control Dept.

1185 WIN DR, BETHLEHEM, PA., 18017 - (610) 865-5337

FAX NUMBER: 610-865-4073

160751





Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO22362

Purchase Order Date 12/11/2013

PO Print Date 12/11/2013

Page Number 1 of 1

**Order From :**

METAUX SOLUTIONS  
2625 BOUL JACQUES-CARTIER EST  
LONGUEUIL, QC J4N 1L7  
CA

VC-MET002

**Ship To :** DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**FAKED**  
6/13/13

**Contact Name**

**Vendor Phone** 800 558 8858

**Ship To Contact**

**Ship To Phone**

**Ship Via:** TST ground

**Ship Acct:**

**Buyer**

Chantal Lavoie

**Customer POID**

**Customer Tax #**

10127-2607

**Terms**

Net 30

**Currency**

CAD

**FOB**

Destination-Collect

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M304TS0.750W.049	304 SQ Tube .75x.75x.049W	12/20/2013 Yes 12/20/2013		600.00 f	\$3.80	\$2,280.00
MATERIAL; AISI 304/316 SEAMLESS STAINLESS STEEL SQUARE TUBING AS PER ASTM A554 MILL FINISH OR AS PER ASTM A269 MILL FINISH							
Line Total:							\$2,280.00
2	M304S16GA	304/316 Sheet .063	12/20/2013 Yes 12/20/2013		320.00 sf	\$5.77	\$1,846.40
MATERIAL; AISI 304/316 SS SHEET ANNEALED AS PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240							
Line Total:							\$1,846.40
PO Total:							\$4,126.40

Note: Pricing listed above is as per contract agreement between Dart Aerospace and the respective manufacturer.  
No substitution or deviation without consent.  
Certificate of Conformity or Material Certification required - YES NO  
PST# 6122-5207

Change Nbr:

1

Change Date:

12/11/2013